



currenza c² COIN CHANGER



currenza c²

Description

The currenza c²® is a superior coin changer that doubles as a coin recycler. All coins are eventually recycled as change to another customer. Known for its distinctive 6-tube system, this coin changer consistently delivers high performance with its unique MFT coin validation technology. The patented Payout Redundancy Protection (PRP) coin dispensing system includes 3 independent payout motors to ensure that coin payout is always guaranteed—no sales are lost.

All worldwide coins can be processed. Unique options such as the currenza c² spider, an integrated active 8-way sorting feature, makes this coin changer stand out in the market.

Please note, this product is not available in Europe



Benefits

High-security coin validation. MFT coin validation technology with a patented sensor system that measures 40 coin parameters

Reduce operator intervention. 6 self-filling coin tubes enhances payout configuration & float levels for less cash stock

Less jams, more uptime. Payout Redundancy Protection (PRP) offers independent payout motors to minimize machine downtime

Handle the harshest conditions. Guaranteed operation independent of environmental conditions

COIN CHANGER

The logo for the coin changer is located on the left side of the page. It consists of a yellow circle containing a white dollar sign (\$) at the top, and the words "COIN CHANGER" written vertically in large, bold, yellow capital letters below it.

Specifications

Coin Diameter

- 15mm - 33mm

Coin Thickness

- 1.5mm - 3.5mm

Input speed

- 2 coins per second

Output Speed

- 6 coins per second

Interfaces Supported

- Serial: MDB, MDB + Executive, MDB + BDV, JVI/VCCI ,USB, RS-232
- Parallel: 4-price (via converter)

Operating Temperature

- -25°C to +80°C

Power Requirements

- 24 V AC = Executive
- 18 V DC - 43 V DC = MDB



COIN CHANGER

Tube/coin Level Recognition System

- Optical, Sonar

Support Tools

- Henri, Henri+

Audit

- USB, IrDA

Variants



Audit Interfaces

- IR, also as external module
- Printer
- DDCMP
- DEX, also for external devices e.g. vending machines for external currency audimax data provider

Integrated 8-coin Payout: currenza c² spider

- Recycling of up to 8 coin denominations
- Increased coin payout capacity by employing two additional h² hoppers
- Full coin recycling via 6-tube cassette and two hoppers
- High payout speeds; considerably reduced waiting times at exit lanes



User Interfaces

- currenza c² blue with full graphical display and service keys
- currenza c² green with service keys
- currenza c² white without user interface
- currenza c² silver without user interface: German tobacco version exclusively sold by our partner Garz & Fricke



Accessories



Service Tools (currenza c²)

- HENRI on-site service tool for configuration & firmware updates
- heartbeat PC application for comprehensive configuration
- Stand-alone WinSPT vending machine simulator
- WinSPT PC application for coin acceptance and interface tests
- HENRIFlash PC application for firmware updates



Audit Tools

- currenza audimzx data-provider
- IR adapter for audit readout
- currenza airstation for remote audit reports
- Audit Manager PC application for machine audit management

System Integrators (currenza c²)

- 4-price adapters for application in parallel systems e.g. electromechanical vending machines:
 - with Jones connector
 - with 15-pin connector
- API with NRI display
- API with Fuji display
- NRIHIDAPI.dll program library for system integration of serial coin changers





COIN CHANGER



Security Package

- 24/7 security for your cash
- Electronic recognition of coin cassette and validator removals
- Continues working even when machine power is off
- All activities and events registered in standard EVA-DTS format